KOVERA LABS

CERTIFICATE OF ANALYSIS

REPORT # KVR-2026-58AC9D

Client: Zenergy

Certified: 04/26/2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	DSIP	**Form**	Lyophilized powder
Batch	ZENO41526	**Labeled Qty**	10 mg
Mol. Formula	C35H48N10O15	**CAS Number**	62568-57-4
Cap Color	Purple	**Crimp Color**	Red

TEST RESULTS


	REFERENCE STANDARD	RESULT
Purity	(>98%)	99.927% ✓
Net Content	(10mg ± 10%)	10.11 mg ✓
Identity Confirmation (LC-MS)	(DSIP)	DSIP ✓
Endotoxin Safety Screen	(≤0.5 EU/mL)	PASS ✓
Microbial Sterility Screen	(No Growth)	No Growth ✓

HEAVY METAL SCREENING

Analyte	Result	Status
Arsenic (As)	Negative	✓
Cadmium (Cd)	Negative	✓
Lead (Pb)	Negative	✓
Mercury (Hg)	Negative	✓

CHROMATOGRAM

Method: RP-HPLC | Column: C18 | Detection: DAD @ 214 nm





Lemar Arghandiwal
Lab Director

koveralabs.com/verify

Report#: KVR-2026-58AC9D
Access Code: PCQQBHX