KOVERA LABS

CERTIFICATE OF ANALYSIS

REPORT # KVR-2026-8E5F3B

Client Zenergy

Analyzed 04/10/2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	Melanotan-1	**Form**	Lyophilized powder
Batch	ZENO33126	**Labeled Qty**	10mg
Mol. Formula	C80H115N21O21	**CAS Number**	1566590-77-9
Cap Color	Blue	**Crimp Color**	Silver

TEST RESULTS


	REFERENCE STANDARD	RESULT
Purity	(>98%)	99.971% ✓
Net Content	(10mg ± 10%)	11.48 mg ✓
Identity Confirmation (LC-MS)	(Melanotan-1)	Melanotan-1 ✓
Endotoxin Safety Screen	(≤0.5 EU/mL)	PASS ✓
Microbial Sterility Screen	(No Growth)	No Growth ✓

HEAVY METAL SCREENING

Analyte	Result	Status
Arsenic (As)	Negative	✓
Cadmium (Cd)	Negative	✓
Lead (Pb)	Negative	✓
Mercury (Hg)	Negative	✓

CHROMATOGRAM

Method: RP-HPLC | Column: C18 | Detection: DAD @ 214 nm





David Cohen
Lab Director

koveralabs.com/verify

Report#: KVR-2026-8E5F3B
Access Code: 4WILD47