KOVERA LABS

CERTIFICATE OF ANALYSIS

REPORT # KVR-2026-2C4720

Client: Zenergy

Certified: 07/16/2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	Selank	**Form**	Lyophilized Powder
Batch	ZEN-U-0726-SL10-BB	**Labeled Qty**	10 mg
Cap Color	Blue	**Crimp Color**	Blue

TEST RESULTS


	REFERENCE STANDARD	RESULT
Purity	(>98%)	99.686% ✓
Net Content	(~10mg)	12.77 mg ✓
Identity Confirmation (LC-MS)	(Selank)	Selank ✓
Endotoxin Safety Screen	(≤0.5 EU/mL)	Pass ✓
14 Day Sterility Screening	(No Growth)	No microbial growth detected ✓

HEAVY METAL SCREENING

Analyte	Result	Status
Arsenic (As)	Negative	✓
Cadmium (Cd)	Negative	✓
Lead (Pb)	Negative	✓
Mercury (Hg)	Negative	✓

CHROMATOGRAM

Method: RP-HPLC | Column: C18 | Detection: DAD @ 214 nm





Lemar Arghandiwal
Lab Director

koveralabs.com/verify

Report#: KVR-2026-2C4720
Access Code: 2AT0W3Y