KOVERA LABS

CERTIFICATE OF ANALYSIS

REPORT # KVR-2026-C24D46

Client Zenergy

Received 03/13/2026
Analyzed 03/13/2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	GLP-2	**Form**	Lyophilized powder
Batch	ZENO3926	**Labeled Qty**	40mg
Mol. Formula	C225H348N48O68	**CAS Number**	2023788-19-2

TEST RESULTS


	REFERENCE STANDARD	RESULT
Purity	(>98%)	99.972% ✓
Net Content	(40mg ± 10%)	46.11 mg ✓
Identity Confirmation (LC-MS)	(GLP-2)	GLP-2 ✓
Endotoxin Safety Screen	(≤0.5 EU/mL)	PASS ✓
Microbial Sterility Screen	(No Growth)	No Growth ✓


HEAVY METAL SCREENING

Analyte	Result
Lead (Pb)	Negative
Cadmium (Cd)	Negative
Arsenic (As)	Negative
Mercury (Hg)	Negative

CHROMATOGRAM

Method: RP-HPLC | Column: C18 | Detection: DAD @ 214 nm





David Cohen
Lab Director

koveralabs.com/verify

Report#: KVR-2026-C24D46
Access Code: W00FTAH